

SCS01




Syringe Control System

A portable device for compounding in a sterile and non-sterile environment .

Designed for large sizes of 30 ml and 60 ml syringes.

(compatible with syringes of company BD only)



Advantages

- Eliminate the physical effort required by the manipulations of large sizes syringes.
- Reduces the risk of injury and tendonitis associated with the handling of large sizes syringes.
- Reduces consumption of syringes.
- Increase accuracy for liquid compounding.
- Facilitates the reading of the volume.
- Allows increased concentration from the user during compounding.

Features

- Portable and lightweight (0.52 kg - 1 lb)
- Backlit LCD screen of 43mm (1.69 in)
- Highly intuitive menu.
- Resistance to disinfectants commonly used in hospital.



Specifications

Manual Mode

- Allows to perform manually the tasks of liquid injection or withdrawal .
- Precise display of the liquid volume to the nearest decimal .

Program mode

Allows to automate a series of tasks:

-
- **Withdrawal:** Allows to program a series of withdrawal of various volumes (max. 8 withdrawals).
-
- **Injection:** Allows to program a series of injection of various volumes (max. 8 injections).
-
- **Volume transfert:** Allows to transfer accurately up to 540 ml of liquid by using a single syringe.
-
- **Dose transfert:** Allows to transfer a series of «doses» or amount of a given volume by using a single syringe..

ex : 6 x 10 ml with 1 syringe of 60 ml

Certifications

- Meets ANSI/UL STD 61010-1 standard
- Certified CAN/CSA STD C22.2 No.61010-1



Informations/Contact

Teneo Innovations inc.

Tel : (514) 629-8066

Courriel : info@teneoinnovations.com

Site : www.teneoinnovations.com